


*Foam co-extruded Glazing gasket with air barrier.
 * Joint de vitrage en Mousse co-extrude avec pare-air.



Area mm ² : 307 ± 20		75 ± 50,3																							
<small>THIS DRAWING AND THE INTELLECTUAL PROPERTY RIGHTS HEREIN ARE THE PROPERTY OF RIBBO / SIDA CLIMA. IT IS DIVULGED ONLY BE USED FOR THE SPECIFIC PURPOSES FOR WHICH IT WAS SOLD. RIBBO AND SIDA CLIMA SHALL NOT BE LIABLE OR RESPONSIBLE TO THIRD PARTIES WITHOUT PRIOR WRITTEN APPROVAL AND SHALL RETURNED OR DESTROYED.</small>																									
Specifications : DIN 7863 Finishers : E P D M Compound : LCP5108SP/LCP5175M																									
Drawn	Date	Norme	Client																						
Checked	26.11.88	Ribbo																							
Scale 10 : 1 : 1 : 1 : 1		Description (Norme) :																							
		Glazing gasket																							
Cart. No. :		SG 3329.1																							
Ordering No. :		EN 2719 E2																							
Tolerances :		Range of tolerance Range of tolerance (ext. lip) Control edge																							
<small>Dimensions : EN 2719 E1 / E2 all measurements not inserted in EN 2719 E2</small>		<table border="1"> <tr> <th>h</th> <th>h₁</th> <th>h₂</th> <th>h₃</th> <th>h₄</th> <th>h₅</th> <th>h₆</th> <th>h₇</th> <th>h₈</th> <th>h₉</th> <th>h₁₀</th> </tr> <tr> <td>1.0</td> <td>1.0</td> <td>1.0</td> <td>1.0</td> <td>1.0</td> <td>1.0</td> <td>1.0</td> <td>1.0</td> <td>1.0</td> <td>1.0</td> <td>1.0</td> </tr> </table>		h	h ₁	h ₂	h ₃	h ₄	h ₅	h ₆	h ₇	h ₈	h ₉	h ₁₀	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
h	h ₁	h ₂	h ₃	h ₄	h ₅	h ₆	h ₇	h ₈	h ₉	h ₁₀															
1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0															

